

# Zertifikat

# Certificate



Zertifikat Nr. *Certificate No.*  
S 50248949      Blatt *Page*  
0001

Ihr Zeichen *Client Reference*      Unser Zeichen *Our Reference*      Längstens gültig bis *Latest expiration date*  
S.X.Q.      01-QYZ- 15029636 006      16.04.2018      (day/mo/yr)

**Genehmigungsinhaber *License Holder***  
Zhejiang Rongpeng Air Tools  
Co., Ltd.  
Shuiquetou Village  
Pengjie Town, Luqiao District  
Taizhou City, Zhejiang 318057  
P.R. China

**Fertigungsstätte *Manufacturing Plant***  
Zhejiang Rongpeng Air Tools  
Co., Ltd.  
Shuiquetou Village  
Pengjie Town, Luqiao District  
Taizhou City, Zhejiang 318057  
P.R. China

### Prüfzeichen *Test Mark*

Geprüft nach *Tested acc. to*  
EN 792-13:2000+A1  
ZEK 01.4-08/11.11



www.tuv.com  
ID 100000000

Zertifiziertes Produkt (*Geräteidentifikation*)  
*Certified Product (Product Identification)*

Lizenzentgelte - Einheit  
*License Fee - Unit*

Tacker (Eintreibgerät) (Air Tacker)

Bezeichnung (Type Designation)	: T64	F50U	4
	DA64	9025U	2
	F32U	SF3232	2
	F50B	SF5040U	2

Max. Arbeitsdruck : 7,0 Bar  
(Max. Working Pressure)


10

ANLAGE (Appendix): 1-1.7

Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde.  
Produkt und Fertigungsstätte erfüllen § 20 und § 21 des  
Produktsicherheitsgesetzes.

*This certificate is based on our Testing and Certification Regulation.  
Product and production fulfill par § 20 and § 21 of the  
Product Safety Law.*

**TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg**  
Tel.: (+49/221)8 06 - 13 71    e-mail: cert-validity@de.tuv.com  
Fax: (+49/221)8 06 - 39 35    http://www.tuv.com/safety



Ausstellungsdatum *Date of Issue* : 17.04.2013 (day/mo/yr)

# C E R T I F I C A T E



of Conformity  
EC Council Directive 2006/42/EC  
Machinery

Registration No.: AM 50248951 0001

Report No.: 15029636 006

Holder: Zhejiang Rongpeng Air Tools  
Co., Ltd.  
Shuiquetou Village  
Pengjie Town, Luqiao District  
Taizhou City, Zhejiang 318057  
P.R. China

Product: Tacker (Eintreibgerät)  
(Air Tacker)


Identification: Type Designation: T64 F32U F50U SF3232  
DA64 F50B 9025U SF5040U

Serial No.: n.a.

Remark: Issued in conjunction with TÜV Rheinland  
license S 50248949 0001.


This certificate of conformity is based on an evaluation of a sample of the above mentioned product. This is to certify that the tested sample is in conformity with all provision of Annex I of Council Directive 2006/42/EC, referred to as the Machinery Directive. This certificate does not imply assessment of the production of the product and does not permit the use of a TÜV Rheinland mark of conformity. The holder of the certificate is authorized to use this certificate in connection with the EC declaration of conformity according to Annex II of the Directive. It is further confirmed, that the specimen complies with the essential safety and health requirements acc. to Annex I of the directive 2006/42/EC, becoming valid Dec 29.2009

Date 17.04.2013



TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg

CE The CE marking may be used if all relevant and effective EC Directives are complied with. CE

<b>Produkte</b> <i>Products</i>	<b>Zertifikat Nr.</b> <i>Certificate No.</i>	<b>Unser Zeichen</b> <i>Our Reference</i>	<b>Anlage</b> <i>Appendix</i>	
	<b>S 50248949 0001</b>	<b>01-QYZ-15029636 006</b>	<b>1</b>	

**Constructional Data Form (Page 1 of 1)**

- |                                    |   |
|------------------------------------|---|
| <b>1.1 License Holder:</b>         | <b>Zhejiang Rongpeng Air Tools Co., Ltd.</b><br><i>Shuiquetou Village, Pengjie Town, Luqiao District, Taizhou City, Zhejiang 318057, P.R. China</i> |
| <b>1.2 Manufacturer:</b>           | <b>Zhejiang Rongpeng Air Tools Co., Ltd.</b><br><i>Shuiquetou Village, Pengjie Town, Luqiao District, Taizhou City, Zhejiang 318057, P.R. China</i> |
| <b>1.3 Product Identification:</b> | <b>Air Tacker</b>   |
| <b>1.4 Type Designation:</b>       | <b>9025U</b>  |

- |  |   |
|--|---|
| <b>2.1 Dimensions (mm)</b>             | Outer dimension: 246(L)X193(W)X52(T) mm<br>Inlet connector: Rc1/4" (ISO 7-1) or coupling ISO 6150-B-12                                  |
| <b>2.2 Weight (kg)</b>                 | 0.96kg +/- 0.04kg   |
| <b>2.3 Material</b>                    | Main housing      ADC12<br>Cylinder            LD30<br>Connector          A3<br>Trigger              Q235A<br>Firing pin          3Cr13 |
| <b>2.4 Operation instructions</b>      | Available   |
| <b>2.5 Other technical information</b> | Max. Working Pressure      7 bar<br>Length of fastener          13~25 mm<br>Safety yoke available.                                      |




TÜV Rheinland Group

\_\_\_\_\_  
(Place)

\_\_\_\_\_  
(Date)

\_\_\_\_\_  
(Stamp and signature of License holder)

<b>Produkte</b> <i>Products</i>	<b>Zertifikat Nr.</b> <i>Certificate No.</i>	<b>Unser Zeichen</b> <i>Our Reference</i>	<b>Anlage</b> <i>Appendix</i>	 <b>TÜVRheinland</b>
	<b>S 50248949 0001</b>	<b>01-QYZ-15029636 006</b>	<b>1.1</b>	

**Constructional Data Form (Page 1 of 1)**

- 1.1 License Holder:** **Zhejiang Rongpeng Air Tools Co., Ltd.**  
*Shuiquetou Village, Pengjie Town, Luqiao District, Taizhou City, Zhejiang 318057, P.R. China*
- 1.2 Manufacturer:** **Zhejiang Rongpeng Air Tools Co., Ltd.**  
*Shuiquetou Village, Pengjie Town, Luqiao District, Taizhou City, Zhejiang 318057, P.R. China*
- 1.3 Product Identification:** **Air Tacker**
- 1.4 Type Designation:** **DA64**

- 2.1 Dimensions (mm)** Outer dimension: 327(L)X316(W)X85(T) mm  
Inlet connector: Rc1/4" (ISO 7-1) or coupling ISO 6150-B-12
- 2.2 Weight (kg)** 2.24kg +/- 0.09kg
- 2.3 Material**
- |              |         |
|--------------|---------|
| Main housing | ZL104   |
| Cylinder     | LD30    |
| Connector    | A3      |
| Trigger      | Q235A   |
| Firing pin   | 5CrNiMo |
- 2.4 Operation instructions** Available
- 2.5 Other technical information** Max. Working Pressure 7 bar  
Length of fastener 32~64 mm  
Safety yoke available.




TÜV Rheinland Group

(Place)

(Date)

(Stamp and signature of License holder)

<b>Produkte</b> <i>Products</i>	<b>Zertifikat Nr.</b> <i>Certificate No.</i>	<b>Unser Zeichen</b> <i>Our Reference</i>	<b>Anlage</b> <i>Appendix</i>	
	S 50248949 0001	01-QYZ-15029636 006	1.2	

**Constructional Data Form (Page 1 of 1)**

- |                                    |   |
|------------------------------------|---|
| <b>1.1 License Holder:</b>         | <b>Zhejiang Rongpeng Air Tools Co., Ltd.</b><br><i>Shuiquetou Village, Pengjie Town, Luqiao District, Taizhou City, Zhejiang 318057, P.R. China</i> |
| <b>1.2 Manufacturer:</b>           | <b>Zhejiang Rongpeng Air Tools Co., Ltd.</b><br><i>Shuiquetou Village, Pengjie Town, Luqiao District, Taizhou City, Zhejiang 318057, P.R. China</i> |
| <b>1.3 Product Identification:</b> | <b>Air Tacker</b>   |
| <b>1.4 Type Designation:</b>       | <b>F32U</b>   |


<b>2.1 Dimensions (mm)</b>	Outer dimension: 248(L)X203(W)X52(T) mm
	Inlet connector: Rc1/4" (ISO 7-1) or coupling ISO 6150-B-12

<b>2.2 Weight (kg)</b>	1.35kg +/- 0.06kg
------------------------	-------------------

<b>2.3 Material</b>	Main housing	ADC12
	Cylinder	LD30
	Connector	A3
	Trigger	Q235A
	Firing pin	3Cr13

<b>2.4 Operation instructions</b>	Available
-----------------------------------	-----------

<b>2.5 Other technical information</b>	Max. Working Pressure	7 bar
	Length of fastener	10~32 mm
	Safety yoke available.	




TÜV Rheinland Group

\_\_\_\_\_  
(Place)

\_\_\_\_\_  
(Date)

\_\_\_\_\_  
(Stamp and signature of License holder)

<b>Produkte</b> <i>Products</i>	<b>Zertifikat Nr.</b> <i>Certificate No.</i>	<b>Unser Zeichen</b> <i>Our Reference</i>	<b>Anlage</b> <i>Appendix</i>	 TÜV Rheinland
	S 50248949 0001	01-QYZ-15029636 006	1.3	

**Constructional Data Form (Page 1 of 1)**

- |                                    |   |
|------------------------------------|---|
| <b>1.1 License Holder:</b>         | <b>Zhejiang Rongpeng Air Tools Co., Ltd.</b><br><i>Shuiquetou Village, Pengjie Town, Luqiao District, Taizhou City, Zhejiang 318057, P.R. China</i> |
| <b>1.2 Manufacturer:</b>           | <b>Zhejiang Rongpeng Air Tools Co., Ltd.</b><br><i>Shuiquetou Village, Pengjie Town, Luqiao District, Taizhou City, Zhejiang 318057, P.R. China</i> |
| <b>1.3 Product Identification:</b> | <b>Air Tacker</b>   |
| <b>1.4 Type Designation:</b>       | <b>F50B</b>   |


<b>2.1 Dimensions (mm)</b>	Outer dimension: 255(L)X247(W)X55(T) mm
	Inlet connector: Rc1/4" (ISO 7-1) or coupling ISO 6150-B-12

<b>2.2 Weight (kg)</b>	1.38kg +/- 0.06kg
------------------------	-------------------

<b>2.3 Material</b>	Main housing	ADC12
	Cylinder	LD30
	Connector	A3
	Trigger	A3
	Firing pin	3Cr13

<b>2.4 Operation instructions</b>	Available
-----------------------------------	-----------

<b>2.5 Other technical information</b>	Max. Working Pressure	7 bar
	Length of fastener	15~50 mm
	Safety yoke available.	




TÜV Rheinland-Group

\_\_\_\_\_  
(Place)

\_\_\_\_\_  
(Date)

\_\_\_\_\_  
(Stamp and signature of License holder)

<b>Produkte</b> <i>Products</i>	<b>Zertifikat Nr.</b> <i>Certificate No.</i>	<b>Unser Zeichen</b> <i>Our Reference</i>	<b>Anlage</b> <i>Appendix</i>	 TÜVRheinland
	S 50248949 0001	01-QYZ-15029636 006	1.4	

**Constructional Data Form (Page 1 of 1)**

- |                                    |   |
|------------------------------------|---|
| <b>1.1 License Holder:</b>         | <b>Zhejiang Rongpeng Air Tools Co., Ltd.</b><br><i>Shuiquetou Village, Pengjie Town, Luqiao District, Taizhou City, Zhejiang 318057, P.R. China</i> |
| <b>1.2 Manufacturer:</b>           | <b>Zhejiang Rongpeng Air Tools Co., Ltd.</b><br><i>Shuiquetou Village, Pengjie Town, Luqiao District, Taizhou City, Zhejiang 318057, P.R. China</i> |
| <b>1.3 Product Identification:</b> | <b>Air Tacker</b>   |
| <b>1.4 Type Designation:</b>       | <b>F50U</b>   |

- |  |                        |  |
|--|------------------------|--|
| <b>2.1 Dimensions (mm)</b>             | Outer dimension:       | 266(L)X250(W)X52(T) mm                     |
|  | Inlet connector:       | Rc1/4" (ISO 7-1) or coupling ISO 6150-B-12 |
| <b>2.2 Weight (kg)</b>                 | 1.35kg +/- 0.06kg      |  |
| <b>2.3 Material</b>                    | Main housing           | ADC12                                      |
|  | Cylinder               | LD30                                       |
|  | Connector              | A3   |
|  | Trigger                | Q235A                                      |
|  | Firing pin             | 3Cr13                                      |
| <b>2.4 Operation instructions</b>      | Available              |  |
| <b>2.5 Other technical information</b> | Max. Working Pressure  | 7 bar                                      |
|  | Length of fastener     | 15~50 mm                                   |
|  | Safety yoke available. |  |




TÜV Rheinland Group

\_\_\_\_\_  
(Place)


\_\_\_\_\_  
(Date)

\_\_\_\_\_  
(Stamp and signature of License holder)

<b>Produkte</b> <i>Products</i>	<b>Zertifikat Nr.</b> <i>Certificate No.</i>	<b>Unser Zeichen</b> <i>Our Reference</i>	<b>Anlage</b> <i>Appendix</i>	
	S 50248949 0001	01-QYZ-15029636 006	1.5	

**Constructional Data Form (Page 1 of 1)**

<b>1.1 License Holder:</b>	<b>Zhejiang Rongpeng Air Tools Co., Ltd.</b> <i>Shuiquetou Village, Pengjie Town, Luqiao District, Taizhou City, Zhejiang 318057, P.R. China</i>		
<b>1.2 Manufacturer:</b>	<b>Zhejiang Rongpeng Air Tools Co., Ltd.</b> <i>Shuiquetou Village, Pengjie Town, Luqiao District, Taizhou City, Zhejiang 318057, P.R. China</i>		
<b>1.3 Product Identification:</b>	<b>Air Tacker</b>		
<b>1.4 Type Designation:</b>	<b>SF3232</b>		
<b>2.1 Dimensions (mm)</b>	Outer dimension:	248(L)X226(W)X55(T) mm	
	Inlet connector:	Rc1/4" (ISO 7-1) or coupling ISO 6150-B-12	
<b>2.2 Weight (kg)</b>	1.27kg +/- 0.06kg		
<b>2.3 Material</b>	Main housing	ADC12	
	Cylinder	LD30	
	Connector	A3	
	Trigger	A3	
	Firing pin	3Cr13	
<b>2.4 Operation instructions</b>	Available		
<b>2.5 Other technical information</b>	Max. Working Pressure	7 bar	
	Length of fastener	15~50 mm for brad nail 16~32 mm for staple	
	Safety yoke available.		




TÜV Rheinland Group

\_\_\_\_\_  
(Place)

\_\_\_\_\_  
(Date)

\_\_\_\_\_  
(Stamp and signature of License holder)




<b>Produkte</b> <i>Products</i>	<b>Zertifikat Nr.</b> <i>Certificate No.</i>	<b>Unser Zeichen</b> <i>Our Reference</i>	<b>Anlage</b> <i>Appendix</i>	 TÜVRheinland
	S 50248949 0001	01-QYZ-15029636 006	1.6	

**Constructional Data Form (Page 1 of 1)**

- 1.1 License Holder:** Zhejiang Rongpeng Air Tools Co., Ltd.  
*Shuiquetou Village, Pengjie Town, Luqiao District, Taizhou City, Zhejiang 318057, P.R. China*
- 1.2 Manufacturer:** Zhejiang Rongpeng Air Tools Co., Ltd.  
*Shuiquetou Village, Pengjie Town, Luqiao District, Taizhou City, Zhejiang 318057, P.R. China*
- 1.3 Product Identification:** Air Tacker
- 1.4 Type Designation:** SF5040U

- 2.1 Dimensions (mm)**
- |                  |  |
|------------------|--|
| Outer dimension: | 272(L)X245(W)X54(T) mm                     |
| Inlet connector: | Rc1/4" (ISO 7-1) or coupling ISO 6150-B-12 |
- 2.2 Weight (kg)** 1.35kg +/- 0.06kg
- 2.3 Material**
- |              |       |
|--------------|-------|
| Main housing | ADC12 |
| Cylinder     | LD30  |
| Connector    | A3    |
| Trigger      | Q235A |
| Firing pin   | 3Cr13 |
- 2.4 Operation instructions** Available
- 2.5 Other technical information**
- |                       |   |
|-----------------------|---|
| Max. Working Pressure | 7 bar   |
| Length of fastener    | 15~50 mm for brad nail<br>16~32 mm for staple |
- Safety yoke available.




TÜV Rheinland Group

\_\_\_\_\_  
(Place)


\_\_\_\_\_  
(Date)

\_\_\_\_\_  
(Stamp and signature of License holder)

<b>Produkte</b> <i>Products</i>	<b>Zertifikat Nr.</b> <i>Certificate No.</i>	<b>Unser Zeichen</b> <i>Our Reference</i>	<b>Anlage</b> <i>Appendix</i>	
	S 50248949 0001	01-QYZ-15029636 006	1.7	

**Constructional Data Form (Page 1 of 1)**

<b>1.1 License Holder:</b>	<b>Zhejiang Rongpeng Air Tools Co., Ltd.</b> <i>Shuiquetou Village, Pengjie Town, Luqiao District, Taizhou City, Zhejiang 318057, P.R. China</i>		
<b>1.2 Manufacturer:</b>	<b>Zhejiang Rongpeng Air Tools Co., Ltd.</b> <i>Shuiquetou Village, Pengjie Town, Luqiao District, Taizhou City, Zhejiang 318057, P.R. China</i>		
<b>1.3 Product Identification:</b>	<b>Air Tacker</b>		
<b>1.4 Type Designation:</b>	<b>T64</b>		
<b>2.1 Dimensions (mm)</b>	Outer dimension:	300(L)X295(W)X75(T) mm	
	Inlet connector:	Rc1/4" (ISO 7-1) or coupling ISO 6150-B-12	
<b>2.2 Weight (kg)</b>	1.89kg +/- 0.08kg		
<b>2.3 Material</b>	Main housing	ZL101	
	Cylinder	LD30	
	Connector	A3	
	Trigger	Q235A	
	Firing pin	3Cr13	
<b>2.4 Operation instructions</b>	Available		
<b>2.5 Other technical information</b>	Max. Working Pressure	7 bar	
	Length of fastener	32~64 mm	
	Safety yoke available.		

 <b>TÜV Rheinland Group</b>	<hr style="width: 100px; margin: 0 auto;"/> (Place)	<hr style="width: 100px; margin: 0 auto;"/> (Date)
	<hr style="width: 100%; margin: 0 auto;"/> (Stamp and signature of License holder)	